

# Girls troubles - *too much or too little.*

## Oestrus too early, early precocity, (Menarche)

This is often a complex condition which needs further investigation if the indicated remedy does not work.

## Ant Crud

Totally besotted with the object of their desire. Irritable and oversensitive if distracted. Does not want to be looked at or touched by anyone.

Nymphomania from suppressed oestrus.

Loss of appetite and aversion to food.

Desires the type of food that is not turned into strength.

## Calc Carb

Clingy and anxious. Wilful and obstinate. An animal that has been otherwise slow to develop.

Infertility with oestrus too early and too profuse (in animals that bleed)

Udders swell before oestrus cycle.

Spontaneous abortion.

Chilly animals with cold feet

Animals inclined to be overweight or to put on weight easily.

Burning thirst for cold drinks. Huge appetite in the morning. Averse to meat, wants salty things. If takes milk will burp or get an upset stomach.

## Causticum

Restless and agitated. Does not like to be in the dark alone.

Quarrelsome or easily frightened.

Difficult first oestrus.

Sore back with oestrus.

Sexual desire is weak.

Cystitis, or continence problems.

Drowsy in the daytime, sleepless at night.

Burning thirst for cold drinks. Aversion to meat as it causes nausea. Desire for smoked meat (bacon)

## Chamomilla

Hot cross, irritable. Wants to be carried. Wants things then refuses them.

Peevish ill humour.

Labour like pains with oestrus.

When unwell is inclined to diarrhoea which is yellowy greeny or undigested with a rotten egg odour

Hot face after eating with an inclination to vomit or regurgitate food.

## Phosphorus

A real pussy cat or Irish Setter remedy. Affectionate, outgoing, loves being around people. Loves being the centre of attention.

Nymphomania.

Regular Oestrus, with weakness of legs.

Sterility on account of excessive voluptuousness.

Hard painful sonorities in udder. (this need to be seen by the vet)  
Drinks a lot of cool water. Is hungry all the time even after eating well.  
Throwing up of food by the mouthful.  
Often animals that grow very quickly and are lean and tall. Fine delicate hair.

## Pulsatilla

Mild, clingy, good natured or animals with a sweet disposition. Easy to be with they just want what you want.  
Will follow you around and want to be carried. Capricious, desires one thing and then another, or if given something will refuse it. Anxious and clingy, want to be with you ALL the time.  
Nymphomania (in girls and boys)  
Diarrhoea during oestrus.  
Milk in the udders of non nursing animals.  
Hunger and desire to eat, but doesn't know what.  
Thirstless-ness with all complaints.  
Fat, pork or rich foods cause nausea and vomiting.

## Sabina

Anxiety and apprehension. Irascibility and ill humour .  
Insatiable desire for coition. (nymphomania)  
Miscarriage in first trimester of cycle.  
Poor appetite, with desire for acidic foods  
Vomits food eaten the previous day.

## Silica

Obstinate and headstrong. Anxious and yielding. Fidgety and easily frightened.  
Chilly while oestrus is happening.  
Fine boned, refined animals.  
Ravenous appetite, and hunger followed by chilliness.  
Violent thirst with anorexia.  
Wants cold raw things, aversion to boiled food and sometimes meat.

## Oestrus—delayed

Where the animal's first oestrus cycle is late by comparison to the breed specifications.

## Causticum

See notes above.

## Graphities

Anxious and slow moving animals like Calc Carb. Are often more anxious and less alert.  
Fatiguing cough during oestrus.  
An animal inclined to enlarged glands and blocked noses.

## Kalic C

Proper and conservative animals.  
Chilly, and often inclined to asthmatic conditions.

## Nat Mur

The perfect animal. Inclined to be reserved and will spend time on their own.  
Anxious about making mistakes so does nothing. Or anxious over trifles.  
Loss of hair during oestrus.  
Will not want to urinate or defecate if they know you are watching.  
Has a good thirst, and wants salty or savoury foods.

## Pulsatilla

As above, just wants to stay a little girl and not grow up.

## Senec

Irritable and dissatisfied. Oestrus late at onset then every three weeks (21 days instead of 28)  
Pale weak nervous and anaemic.  
Cough with oestrus.  
Irritable bladder in young animals.

## Sepia

Anxious, irritable, angry. Indifferent. Will flirt but not allow service.  
Oestrus, too late, too long.  
Oestrus, too feeble, too early.  
Prolapsus  
Infertility  
Spontaneous abortion  
Hungry soon after eating, wants to graze all the time.

## Nymphomania (excessive sexual activity –outside of normal oestrus cycle)

### Platina

Haughty, arrogant, think they rule the world.  
Pride, conceit and with a contempt for others.  
Nymphomania in nursing animals  
Will attack or maim others if roused.

### Lachesis

Jealous, suspicious, loquacious. The animal that owns you. Will attack others who pay attention to the object of their desire. Does not like tight things around the throat. (collars, etc).  
An animal that has never been well since oestrus began.

### Hyoscyamus

Jealous, loquacious. Will act the fool, and be silly. Fears betrayal so will do things to keep themselves in the centre of attention. Will often appear to be laughing at you. Will want to mate with other animals in very public places, or will try to mate another animal even though they normally don't fancy them.

### Origanum

Great sexual excitement driving them to masturbation. Must try and mate with any other animal they meet or masturbate.

### Stramonium

Hysteria. Can't bear solitude or dark room, or to be alone. Increased sexual desire with oestrus problems such as prolonged or profuse oestrus.